

Wadkin Bursgreen | WB 450 X



Features:

- Hands Free, simple operation.
Table surface is precision ground, assuring cutting accuracy.
- The sawblade on the left side is standard machine, shown as picture.
(Option, the sawblade on the right side)
- Cycle speed is adjustable.
- Powerful 7.5HP motor drive.
- The clamp is easily adjusted for workpiece thickness variation.
- Convenient and fast sawblade replacement.
- Correct dust collection design to keep cabinet clean.

ITEM / MODEL	WB-14	WB-450	WB-20
Cutting capacity (Thickness x Width)	1"x10", 2"x9", 3"x8"	2"x12", 3"x11", 4"x10"	1"x14.5", 2"x14", 3"x13", 4"x12", 5"x11"
Cycle speed	95 cuts/min	45 cuts/min	40 cuts/min
Cycle operation	Pneumatic		
Saw blade diameter	Ø14"	Ø18" – 450mm	Ø20"
Saw arbor diameter	Ø1" / 30mm		
Table size	630x590mm	660mm x 690mm	656x742mm
Dust exhaust diameter	Ø4" x (1)		
Net weight	240 kg	350 kg	350 kg
Gross weight	290 kg	410 kg	410 kg
Packing dimensions(LxWxH)	770x760x1300mm	770x780x1350mm	770x780x1350mm

Heavy Duty Frame:

The main frame is fabricated of heavy steel plate and ribbed to minimize vibration & deflection.





Quick Adjustment: Handwheel to adjust for the height of the material with scale

The machine conforms to CE safety regulations

STANDARD PRICE EX WORKS

Heavy Duty Roller tables – 3 Mtrs Infeed + 3 Mtrs outfeed

With 3 mtr calibrated fence and 2 x flip over stops

Delivery & Installation

P.O.A

All prices are exclusive of VAT

Prices Quoted are firm for acceptance with 30 days

Delivery: Availability will be confirmed at the time of ordering.

Payment Terms: 30% deposit with order, 70% prior to dispatch from Leicester

